



HAL
open science

Polling health-care workers opinion on assisted suicide and euthanasia: a word of caution

Nicolas de Prost, Marie Laurent

► **To cite this version:**

Nicolas de Prost, Marie Laurent. Polling health-care workers opinion on assisted suicide and euthanasia: a word of caution. *Annals of Intensive Care*, 2023, 13 (1), pp.44. 10.1186/s13613-023-01139-4 . hal-04153759

HAL Id: hal-04153759

<https://hal.u-pec.fr/hal-04153759v1>

Submitted on 6 Jul 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

LETTER TO THE EDITOR

Open Access



Polling health-care workers opinion on assisted suicide and euthanasia: a word of caution

Nicolas de Prost^{1,2,3*}  and Marie Laurent^{4,5}

Dear Editor,

We read with interest the article by Acquier et al., reporting the results of a questionnaire self-administered to 1149 French intensive care unit (ICU) health-care workers (HCW) [1]. Although the French President Emmanuel Macron just released the results of a citizens' convention on assisted dying, which supports active assistance in dying using assisted suicide and euthanasia [2], polling ICU HCW's opinion about assisted dying might be particularly insightful in this context. The article of Acquier et al. concluded that “*HCWs, particularly nonphysicians, would be in favor of a law legalizing euthanasia/physician-assisted suicide*”. We would like to highlight the following points, which we believe should be taken into consideration for the interpretation of the study results: (1) the age or ICU experience of the respondents were not recorded. The main results of the survey are driven by nonphysicians, mainly nurses, and more than 15% of physicians were medical residents. As such, analysis of the results by age classes or level of experience may have

highlighted a relationship between experience and opinion on assisted suicide and euthanasia. These analyses could also have assessed the representativeness of the samples (less than 10% of the respondents). The choice of limiting this information to “*simplify the questionnaire*” is surprising given the complexity of the current debate; (2) the authors did not address the respondents' familiarity with the Claeys–Leonetti law. Indeed, it is quite surprising to read that only 20.8% of the respondents replied that the current law «*almost always*» allows for managing end-of-life situations in ICU patients in France. Such result may be due to a lack of knowledge of the possibilities of the law, which typically applies to most of (if not all) the situations encountered in the ICU setting [3]; (3) Last, we fear that some of the items of the questionnaire might suffer from framing effects, when «*(often small) changes in the presentation of an issue or an event can produce (sometimes large) changes of opinion*» [4]. Importantly, framing effects have been previously shown to impact the results of assisted dying survey [5]. In the current case, both framing effects, including wording (e.g., questions 4, 5 and 6: «*would be desirable*»; «*would improve*») and context (e.g., question 4: «*a patient with major swallowing disorder refusing artificial nutrition*») effects may have given rise to a particular interpretation to the respondents, more likely to engage their sympathy towards euthanasia and physician-assisted suicide.

The results concerning opinions of ICU health-care physicians must be interpreted with caution. Further studies limiting the risk of selection biases associated with the HCWs must be interviewed (e.g., balancing the nonphysicians to physicians ratio, stratifying by age class)

*Correspondence:

Nicolas de Prost
nicolas.de-prost@aphp.fr

¹ Groupe de Recherche Clinique CARMAS, Université Paris Est-Créteil, Créteil, France

² Université Paris-Est Créteil Val de Marne (UPEC), Créteil, France

³ Service de Médecine Intensive Réanimation, Hôpitaux Universitaires Henri Mondor– Albert Chenevier, Assistance Publique-Hôpitaux de Paris (AP-HP), Créteil, France

⁴ Univ Paris Est Creteil, INSERM, IMRB, CEpiA Team, 94010 Creteil, France

⁵ Service de Gériatrie, Hôpitaux Universitaires Henri Mondor-Albert Chenevier, Assistance Publique-Hôpitaux de Paris (AP-HP), Créteil, France

and taking into consideration the framing effects should be conducted.

Abbreviations

HCW Health-care workers
ICU Intensive care unit

Acknowledgements

The authors would like to thank the members of the group « Droit des patients en fin de vie » of the Hôpital Henri Mondor, particularly Anne-Sophie Daniel, Katell Bacquer and Lola Corsin for the constructive discussions.

Author contributions

NDP and ML wrote the first draft and revised the manuscript. Both authors read and approved the final manuscript.

Funding

There was no specific funding for this study.

Availability of data and materials

Non appropriate.

Declarations

Ethics approval and consent to participate

Non appropriate.

Consent for publication

Non appropriate.

Competing interests

The authors declare that they have no competing interests.

Received: 18 April 2023 Accepted: 5 May 2023

Published online: 24 May 2023

References

1. Acquier M, Boyer A, Guidet B, Lautrette A, Reigner J, Thiery G, et al. ICU health care workers opinion on physician-assisted-suicide and euthanasia: a French survey. *Ann Intensive Care*. 2023;13:19.
2. French citizens' convention supports active assistance in dying using different models. *Le Monde.fr*. 2023 Apr 2: https://www.lemonde.fr/en/france/article/2023/04/02/french-citizens-convention-supports-active-assistance-in-dying-using-different-models_6021469_7.html. Accessed 17 Apr 2023
3. Véron P, Violla F. LOI n° 2016–87 du 2 février 2016 créant de nouveaux droits en faveur des malades et des personnes en fin de vie (1). *Méd Droit*. 2016;2016:85.
4. Chong D, Druckman JN. Framing theory. *Annu Rev Polit Sci*. 2007;10:103–26.
5. Magelssen M, Supphellen M, Nortvedt P, Materstvedt LJ. Attitudes towards assisted dying are influenced by question wording and order: a survey experiment. *BMC Med Ethics*. 2016;17:24.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► [springeropen.com](https://www.springeropen.com)